



02.0012/2017

DECLARATION OF PERFORMANCES

Annex III CPR - Regulation EU n. 305/2011 - Implementing Regulation EU n. 159/2014

Unique identification code of the product-type:	FIBROLITE HYDRO
Intended use:	General purpose rendering/plastering mortar (GP) for external use
Manufacturer:	Vimark S.r.l. - Strada Spartafino, 2 - 12016 Peveragno (CN) - Italia
Authorised representative:	-
System/s of AVCP:	System no. 4
Harmonised standard:	EN 998-1:2010
Notified bodies:	-
Declared performances:	

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	Class A1	5.2.2 EN 998-1
Water absorption	W2	Table 2, L5 EN 998-1
Water vapour permeability	$\mu < 15$	Table 2, L8 EN 998-1
Adhesion	0.15 N/mm ² (FP) B	Table 2, L3 EN 998-1
Thermal conductivity	0.45 W/mK (tab. Mean value; P=50%)	Table 2, L10 EN 998-1
Durability	Evaluation based on provisions valid in the Intended place of use of the mortar	5.2.3.2 EN 998-1
Dangerous substances	See MSDS	Note ZA.1 998-1


Appropriate Technical Documentation and/or Specific Technical Documentation: see technical data sheet
see MSDS

Website where the copy of the declaration of performance is made available: www.vimark.com/en/

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

29.05.2017
VIMARK S.r.l. Peveragno (CN) Italy


Marco Dutto



Vimark S.r.l.
Strada Spartafino, 2 - 12016 Peveragno (CN) Italy
14
02.0012/2017

EN 998-1:2010
FIBROLITE HYDRO

General purpose rendering/plastering mortar (GP) for external use

Reaction to fire	Class A1
Water absorption	W2
Water vapour permeability	$\mu < 15$
Adhesion	0.15 N/mm ² (FP) B
Thermal conductivity	0.45 W/mK (tab. Mean value; P=50%)
Durability	Evaluation based on provisions valid in the Intended place of use of the mortar
Dangerous substances	See MSDS